

# CABLE GLANDS

## IP68 GLAND SETS - BLACK - LONG



Product code	Description	Size	Colour	Cable Ø	Thread Length
<b>ESKV-L-12set</b>	Polyamide Gland with Locknut M12	M12	Black (RAL 9005)	3 - 7mm	15mm
<b>ESKV-L-16set</b>	Polyamide Gland with Locknut M16	M16	Black (RAL 9005)	4.5 - 10mm	15mm
<b>ESKV-L-20set</b>	Polyamide Gland with Locknut M20	M20	Black (RAL 9005)	6 - 13mm	15mm
<b>ESKV-L-25set</b>	Polyamide Gland with Locknut M25	M25	Black (RAL 9005)	9 - 17mm	15mm
<b>ESKV-L-32set</b>	Polyamide Gland with Locknut M32	M32	Black (RAL 9005)	13 - 21mm	15mm
<b>ESKV-L-40set</b>	Polyamide Gland with Locknut M40	M40	Black (RAL 9005)	16 - 28mm	18mm
<b>ESKV-L-50set</b>	Polyamide Gland with Locknut M50	M50	Black (RAL 9005)	21 - 35mm	18mm
<b>ESKV-L-63set</b>	Polyamide Gland with Locknut M63	M63	Black (RAL 9005)	34 - 48mm	18mm

## IP68 GLAND SETS - BLACK



Product code	Description	Size	Colour	Cable Ø	Thread Length
<b>ESKV12set</b>	Polyamide Gland with Locknut M12	M12	Black (RAL 9005)	3 - 7mm	9mm
<b>ESKV16set</b>	Polyamide Gland with Locknut M16	M16	Black (RAL 9005)	4.5 - 10mm	9mm
<b>ESKV20set</b>	Polyamide Gland with Locknut M20	M20	Black (RAL 9005)	6 - 13mm	10mm
<b>ESKV25set</b>	Polyamide Gland with Locknut M25	M25	Black (RAL 9005)	9 - 17mm	10mm
<b>ESKV32set</b>	Polyamide Gland with Locknut M32	M32	Black (RAL 9005)	13 - 21mm	12mm
<b>ESKV40set</b>	Polyamide Gland with Locknut M40	M40	Black (RAL 9005)	16 - 28mm	12mm
<b>ESKV50set</b>	Polyamide Gland with Locknut M50	M50	Black (RAL 9005)	21 - 35mm	14mm
<b>ESKV63set</b>	Polyamide Gland with Locknut M63	M63	Black (RAL 9005)	34 - 48mm	15mm

## IP68 GLAND SETS - GREY



Product code	Description	Size	Colour	Cable Ø	Thread Length
<b>ESKV12setGR</b>	Polyamide Gland with Locknut M12	M12	Grey (RAL 7001)	3 - 7mm	9mm
<b>ESKV16setGR</b>	Polyamide Gland with Locknut M16	M16	Grey (RAL 7001)	4.5 - 10mm	9mm
<b>ESKV20setGR</b>	Polyamide Gland with Locknut M20	M20	Grey (RAL 7001)	6 - 13mm	10mm
<b>ESKV25setGR</b>	Polyamide Gland with Locknut M25	M25	Grey (RAL 7001)	9 - 17mm	10mm
<b>ESKV32setGR</b>	Polyamide Gland with Locknut M32	M32	Grey (RAL 7001)	13 - 21mm	12mm

# CABLE GLANDS

## IP68 GLANDS - BLACK - LONG



Product Code	Description	Size	Colour	Cable Ø	Thread Length
<b>ESKV-L-12</b>	Polyamide Gland	<b>M12</b>	<b>Black (RAL 9005)</b>	<b>3 - 7mm</b>	<b>15mm</b>
<b>ESKV-L-16</b>	Polyamide Gland	<b>M16</b>	<b>Black (RAL 9005)</b>	<b>4.5 - 10mm</b>	<b>15mm</b>
<b>ESKV-L-20</b>	Polyamide Gland	<b>M20</b>	<b>Black (RAL 9005)</b>	<b>6 - 13mm</b>	<b>15mm</b>
<b>ESKV-L-25</b>	Polyamide Gland	<b>M25</b>	<b>Black (RAL 9005)</b>	<b>9 - 17mm</b>	<b>15mm</b>
<b>ESKV-L-32</b>	Polyamide Gland	<b>M32</b>	<b>Black (RAL 9005)</b>	<b>13 - 21mm</b>	<b>15mm</b>
<b>ESKV-L-40</b>	Polyamide Gland	<b>M40</b>	<b>Black (RAL 9005)</b>	<b>16 - 28mm</b>	<b>18mm</b>
<b>ESKV-L-50</b>	Polyamide Gland	<b>M50</b>	<b>Black (RAL 9005)</b>	<b>21 - 35mm</b>	<b>18mm</b>
<b>ESKV-L-63</b>	Polyamide Gland	<b>M63</b>	<b>Black (RAL 9005)</b>	<b>34 - 48mm</b>	<b>18mm</b>

## IP68 GLANDS - BLACK



Product Code	Description	Size	Colour	Cable Ø	Thread Length
<b>ESKV12</b>	Polyamide Gland	<b>M12</b>	<b>Black (RAL 9005)</b>	<b>3 - 7mm</b>	<b>9mm</b>
<b>ESKV16</b>	Polyamide Gland	<b>M16</b>	<b>Black (RAL 9005)</b>	<b>4.5 - 10mm</b>	<b>9mm</b>
<b>ESKV20</b>	Polyamide Gland	<b>M20</b>	<b>Black (RAL 9005)</b>	<b>6 - 13mm</b>	<b>10mm</b>
<b>ESKV25</b>	Polyamide Gland	<b>M25</b>	<b>Black (RAL 9005)</b>	<b>9 - 17mm</b>	<b>10mm</b>
<b>ESKV32</b>	Polyamide Gland	<b>M32</b>	<b>Black (RAL 9005)</b>	<b>13 - 21mm</b>	<b>12mm</b>
<b>ESKV40</b>	Polyamide Gland	<b>M40</b>	<b>Black (RAL 9005)</b>	<b>16 - 28mm</b>	<b>12mm</b>
<b>ESKV50</b>	Polyamide Gland	<b>M50</b>	<b>Black (RAL 9005)</b>	<b>21 - 35mm</b>	<b>14mm</b>
<b>ESKV63</b>	Polyamide Gland	<b>M63</b>	<b>Black (RAL 9005)</b>	<b>34 - 48mm</b>	<b>15mm</b>

## LOCKNUTS - BLACK



Product Code	Description	Size	Colour	Width
<b>EMUG-M12</b>	Polyamide Locknut	<b>M12</b>	<b>Black (RAL 9005)</b>	<b>5mm</b>
<b>EMUG-M16</b>	Polyamide Locknut	<b>M16</b>	<b>Black (RAL 9005)</b>	<b>5mm</b>
<b>EMUG-M20</b>	Polyamide Locknut	<b>M20</b>	<b>Black (RAL 9005)</b>	<b>5mm</b>
<b>EMUG-M25</b>	Polyamide Locknut	<b>M25</b>	<b>Black (RAL 9005)</b>	<b>6mm</b>
<b>EMUG-M32</b>	Polyamide Locknut	<b>M32</b>	<b>Black (RAL 9005)</b>	<b>6mm</b>
<b>EMUG-M40</b>	Polyamide Locknut	<b>M40</b>	<b>Black (RAL 9005)</b>	<b>7mm</b>
<b>EMUG-M50</b>	Polyamide Locknut	<b>M50</b>	<b>Black (RAL 9005)</b>	<b>7mm</b>
<b>EMUG-M63</b>	Polyamide Locknut	<b>M63</b>	<b>Black (RAL 9005)</b>	<b>7mm</b>

## IP68 GLANDS - GREY



Product Code	Description	Size	Colour	Cable Ø	Thread Length
<b>ESKV12 GR</b>	Polyamide Gland	<b>M12</b>	<b>Grey (RAL 7001)</b>	<b>3 - 7mm</b>	<b>9mm</b>
<b>ESKV16 GR</b>	Polyamide Gland	<b>M16</b>	<b>Grey (RAL 7001)</b>	<b>4.5 - 10mm</b>	<b>9mm</b>
<b>ESKV20 GR</b>	Polyamide Gland	<b>M20</b>	<b>Grey (RAL 7001)</b>	<b>6 - 13mm</b>	<b>10mm</b>
<b>ESKV25 GR</b>	Polyamide Gland	<b>M25</b>	<b>Grey (RAL 7001)</b>	<b>9 - 17mm</b>	<b>10mm</b>
<b>ESKV32 GR</b>	Polyamide Gland	<b>M32</b>	<b>Grey (RAL 7001)</b>	<b>13 - 21mm</b>	<b>12mm</b>

# CABLE GLANDS

## LOCKNUTS - GREY





Product Code	Description	Size	Colour	Width
<b>EMUG-M12GR</b>	Polyamide Locknut	<b>M12</b>	<b>Grey (RAL 7001)</b>	<b>5mm</b>
<b>EMUG-M16GR</b>	Polyamide Locknut	<b>M16</b>	<b>Grey (RAL 7001)</b>	<b>5mm</b>
<b>EMUG-M20GR</b>	Polyamide Locknut	<b>M20</b>	<b>Grey (RAL 7001)</b>	<b>5mm</b>
<b>EMUG-M25GR</b>	Polyamide Locknut	<b>M25</b>	<b>Grey (RAL 7001)</b>	<b>6mm</b>
<b>EMUG-M32GR</b>	Polyamide Locknut	<b>M32</b>	<b>Grey (RAL 7001)</b>	<b>6mm</b>

## PG IP68 GLANDS - LIGHT GREY



Product Code	Description	Size	Colour	Cable Ø	Thread Length
SKV7setLGR	Gland & Locknut	PG7	Light Grey (RAL 7035)	3 - 6mm	9mm
SKV9setLGR	Gland & Locknut	PG9	Light Grey (RAL 7035)	4 - 8mm	9mm
SKV11setLGR	Gland & Locknut	PG11	Light Grey (RAL 7035)	5 - 10mm	9mm
SKV13.5setLGR	Gland & Locknut	PG13.5	Light Grey (RAL 7035)	6 - 12mm	10mm
SKV16setLGR	Gland & Locknut	PG16	Light Grey (RAL 7035)	8 - 14mm	11mm
SKV21setLGR	Gland & Locknut	PG21	Light Grey (RAL 7035)	10 - 18mm	11mm
SKV29setLGR	Gland & Locknut	PG29	Light Grey (RAL 7035)	16 - 25mm	12mm
SKV36setLGR	Gland & Locknut	PG36	Light Grey (RAL 7035)	22 - 32mm	14mm
SKV42setLGR	Gland & Locknut	PG42	Light Grey (RAL 7035)	28 - 38mm	14mm
SKV48setLGR	Gland & Locknut	PG48	Light Grey (RAL 7035)	36 - 44mm	15mm

## PG/METRIC CONVERSION GUIDE



# CABLE GLANDS

## IP68 GLAND SETS - NICKEL PLATED BRASS - LONG



Product Code	Description	Size	Material	Cable Ø	Thread Length
<b>EMSKV-L12set</b>	<b>Gland with Locknut</b>	<b>M12</b>	<b>Nickel Plated Brass</b>	<b>3 - 7mm</b>	<b>12mm</b>
<b>EMSKV-L16set</b>	<b>Gland with Locknut</b>	<b>M16</b>	<b>Nickel Plated Brass</b>	<b>4.5 - 10mm</b>	<b>12mm</b>
<b>EMSKV-L20set</b>	<b>Gland with Locknut</b>	<b>M20</b>	<b>Nickel Plated Brass</b>	<b>6 - 13mm</b>	<b>12mm</b>
<b>EMSKV-L25set</b>	<b>Gland with Locknut</b>	<b>M25</b>	<b>Nickel Plated Brass</b>	<b>9 - 17mm</b>	<b>12mm</b>
<b>EMSKV-L32set</b>	<b>Gland with Locknut</b>	<b>M32</b>	<b>Nickel Plated Brass</b>	<b>13 - 21mm</b>	<b>15mm</b>
<b>EMSKV-L40set</b>	<b>Gland with Locknut</b>	<b>M40</b>	<b>Nickel Plated Brass</b>	<b>16 - 28mm</b>	<b>15mm</b>
<b>EMSKV-L50set</b>	<b>Gland with Locknut</b>	<b>M50</b>	<b>Nickel Plated Brass</b>	<b>21 - 35mm</b>	<b>15mm</b>
<b>EMSKV-L63set</b>	<b>Gland with Locknut</b>	<b>M63</b>	<b>Nickel Plated Brass</b>	<b>34 - 48mm</b>	<b>15mm</b>

## IP68 GLANDS - NICKEL PLATED BRASS - LONG



Product Code	Description	Size	Material	Cable Ø	Thread Length
<b>EMSKV-L12</b>	<b>Gland</b>	<b>M12</b>	<b>Nickel Plated Brass</b>	<b>3 - 7mm</b>	<b>12mm</b>
<b>EMSKV-L16</b>	<b>Gland</b>	<b>M16</b>	<b>Nickel Plated Brass</b>	<b>4.5 - 10mm</b>	<b>12mm</b>
<b>EMSKV-L20</b>	<b>Gland</b>	<b>M20</b>	<b>Nickel Plated Brass</b>	<b>6 - 13mm</b>	<b>12mm</b>
<b>EMSKV-L25</b>	<b>Gland</b>	<b>M25</b>	<b>Nickel Plated Brass</b>	<b>9 - 17mm</b>	<b>12mm</b>
<b>EMSKV-L32</b>	<b>Gland</b>	<b>M32</b>	<b>Nickel Plated Brass</b>	<b>13 - 21mm</b>	<b>15mm</b>
<b>EMSKV-L40</b>	<b>Gland</b>	<b>M40</b>	<b>Nickel Plated Brass</b>	<b>16 - 28mm</b>	<b>15mm</b>
<b>EMSKV-L50</b>	<b>Gland</b>	<b>M50</b>	<b>Nickel Plated Brass</b>	<b>21 - 35mm</b>	<b>15mm</b>
<b>EMSKV-L63</b>	<b>Gland</b>	<b>M63</b>	<b>Nickel Plated Brass</b>	<b>34 - 48mm</b>	<b>15mm</b>

## IP68 GLANDS - NICKEL PLATED BRASS



Product Code	Description	Size	Material	Cable Ø	Thread Length
<b>EMSKV 12</b>	<b>Gland</b>	<b>M12</b>	<b>Nickel Plated Brass</b>	<b>3 - 7mm</b>	<b>5mm</b>
<b>EMSKV 16</b>	<b>Gland</b>	<b>M16</b>	<b>Nickel Plated Brass</b>	<b>4.5 - 10mm</b>	<b>5mm</b>
<b>EMSKV 20</b>	<b>Gland</b>	<b>M20</b>	<b>Nickel Plated Brass</b>	<b>6 - 13mm</b>	<b>6mm</b>
<b>EMSKV 25</b>	<b>Gland</b>	<b>M25</b>	<b>Nickel Plated Brass</b>	<b>9 - 17mm</b>	<b>7mm</b>
<b>EMSKV 32</b>	<b>Gland</b>	<b>M32</b>	<b>Nickel Plated Brass</b>	<b>13 - 21mm</b>	<b>8mm</b>
<b>EMSKV 40</b>	<b>Gland</b>	<b>M40</b>	<b>Nickel Plated Brass</b>	<b>16 - 28mm</b>	<b>8mm</b>
<b>EMSKV 50</b>	<b>Gland</b>	<b>M50</b>	<b>Nickel Plated Brass</b>	<b>21 - 35mm</b>	<b>9mm</b>
<b>EMSKV 63</b>	<b>Gland</b>	<b>M63</b>	<b>Nickel Plated Brass</b>	<b>34 - 48mm</b>	<b>10mm</b>

## LOCKNUTS NICKEL PLATED BRASS



Product Code	Description	Size	Material	Width
<b>EMMU12</b>	<b>Locknut</b>	<b>M12</b>	<b>Nickel Plated Brass</b>	<b>2.8mm</b>
<b>EMMU16</b>	<b>Locknut</b>	<b>M16</b>	<b>Nickel Plated Brass</b>	<b>2.8mm</b>
<b>EMMU20</b>	<b>Locknut</b>	<b>M20</b>	<b>Nickel Plated Brass</b>	<b>3mm</b>
<b>EMMU25</b>	<b>Locknut</b>	<b>M25</b>	<b>Nickel Plated Brass</b>	<b>3.5mm</b>
<b>EMMU32</b>	<b>Locknut</b>	<b>M32</b>	<b>Nickel Plated Brass</b>	<b>4mm</b>
<b>EMMU40</b>	<b>Locknut</b>	<b>M40</b>	<b>Nickel Plated Brass</b>	<b>5mm</b>
<b>EMMU50</b>	<b>Locknut</b>	<b>M50</b>	<b>Nickel Plated Brass</b>	<b>5mm</b>
<b>EMMU63</b>	<b>Locknut</b>	<b>M63</b>	<b>Nickel Plated Brass</b>	<b>6mm</b>

# CABLE GLANDS

## IP66/68 EEXE CABLE GLANDS - POLYAMIDE BLACK



Product Code	Description	Size	Material	Cable Ø	Thread Length
ESKE/1-e-16	EX Gland	M16	Polyamide Black	4.5mm - 9mm	9mm
ESKE/1-e-20	EX Gland	M20	Polyamide Black	7mm - 13mm	10mm
ESKE/1-e-25	EX Gland	M25	Polyamide Black	10mm - 17mm	10mm
ESKE/1-e-32	EX Gland	M32	Polyamide Black	13mm - 21mm	12mm
ESKE/1-e-40	EX Gland	M40	Polyamide Black	17mm - 28mm	12mm
ESKE/1-e-50	EX Gland	M50	Polyamide Black	23mm - 35mm	14mm
ESKE/1-e-63	EX Gland	M63	Polyamide Black	34mm - 46mm	15mm

## IP68/69 GLANDS - STAINLESS STEEL - 304SS



Product Code	Description	Size	Material	Cable Ø	Thread Length
ESSKV12	Gland	M12	Stainless Steel	3 - 7mm	5mm
ESSKV16	Gland	M16	Stainless Steel	4.5 - 10mm	5mm
ESSKV20	Gland	M20	Stainless Steel	6 - 13mm	6mm
ESSKV25	Gland	M25	Stainless Steel	9 - 17mm	7mm
ESSKV32	Gland	M32	Stainless Steel	13 - 21mm	8mm
ESSKV40	Gland	M40	Stainless Steel	16 - 28mm	8mm
ESSKV50	Gland	M50	Stainless Steel	21 - 35mm	9mm
ESSKV63	Gland	M63	Stainless Steel	34 - 48mm	10mm

## IP68/69 GLANDS - STAINLESS STEEL - 316SS



Product Code	Description	Size	Material	Cable Ø	Thread Length
ESSKV-4-20	Gland	M20	Stainless Steel	6 - 13mm	6mm
ESSKV-4-25	Gland	M25	Stainless Steel	9 - 17mm	7mm
ESSKV-4-32	Gland	M32	Stainless Steel	13 - 21mm	8mm
ESSKV-4-40	Gland	M40	Stainless Steel	16 - 28mm	8mm
ESSKV-4-50	Gland	M50	Stainless Steel	21 - 35mm	9mm
ESSKV-4-63	Gland	M63	Stainless Steel	34 - 48mm	10mm




## LOCKNUTS - STAINLESS STEEL ALLOY 303 (1.4305-A1)



Product Code	Description	Size	Material	Width
ESMU12	Locknut	M12	Stainless Steel	2.8mm
ESMU16	Locknut	M16	Stainless Steel	2.8mm
ESMU20	Locknut	M20	Stainless Steel	3mm
ESMU25	Locknut	M25	Stainless Steel	3.5mm
ESMU32	Locknut	M32	Stainless Steel	4mm
ESMU40	Locknut	M40	Stainless Steel	5mm
ESMU50	Locknut	M50	Stainless Steel	5mm
ESMU63	Locknut	M63	Stainless Steel	6mm

# GLAND ACCESSORIES

## MULTIPLE CABLE GLAND INSERTS - IP66

	Product Code	Description	Gland Size	Cable No	Cable Ø
	MFD12/04/020	Thermoplastic Elastomer Insert	M12	2	0 - 2.0mm
	MFD16/02/040	Thermoplastic Elastomer Insert	M16	2	2.0 - 4.0mm
	MFD20/02/060	Thermoplastic Elastomer Insert	M20	2	4.0 - 6.0mm
	MFD20/03/040	Thermoplastic Elastomer Insert	M20	3	2.5 - 4.0mm
	MFD25/01/065	Thermoplastic Elastomer Insert	M25	1	4.0 - 6.5mm
	MFD25/01/090	Thermoplastic Elastomer Insert	M25	1	7.0 - 9.0mm
	MFD25/02/080	Thermoplastic Elastomer Insert	M25	2	6.0 - 8.0mm
	MFD25/03/070	Thermoplastic Elastomer Insert	M25	3	5.0 - 7.0mm
	MFD25/04/060	Thermoplastic Elastomer Insert	M25	4	4.0 - 6.0mm
	MFD32/04/070	Thermoplastic Elastomer Insert	M32	4	5.0 - 7.0mm
	MFD32/04/080	Thermoplastic Elastomer Insert	M32	4	6.0 - 8.0mm
	MFD32/06/060	Thermoplastic Elastomer Insert	M32	6	5.0 - 6.0mm
	MFD40/04/100	Thermoplastic Elastomer Insert	M40	4	8.0 - 10mm
	MFD40/07/070	Thermoplastic Elastomer Insert	M40	7	5.0 - 7.0mm
	MFD40/07/080	Thermoplastic Elastomer Insert	M40	7	6.0 - 8.0mm
	MFD40/08/060	Thermoplastic Elastomer Insert	M40	8	5.0 - 6.0mm
	MFD50/09/080	Thermoplastic Elastomer Insert	M50	9	6.0 - 8.0mm
	MFD50/25/050	Thermoplastic Elastomer Insert	M50	25	4.0 - 5.0mm
	MFD63/01/131-01	Thermoplastic Elastomer Insert	M63	7 (various sizes)	6.0 - 13mm
	MFD63/02/065-01	Thermoplastic Elastomer Insert	M63	3 (various sizes)	5.0 - 9.0mm
	MFD63/03/065	Thermoplastic Elastomer Insert	M63	3	5.0 - 6.5mm

## MULTIPLE CABLE SPLIT GLAND INSERTS - IP66

	Product Code	Description	Gland Size	Cable No	Cable Ø
	GFD20/01/015	Thermoplastic Elastomer Split Insert	M20	1	0 - 1.5mm
	GFD25/01/060	Thermoplastic Elastomer Split Insert	M25	1	4.0 - 6.0mm
	GFD32/01/045-01	Thermoplastic Elastomer Split Insert	M32	2	4.5 & 8.5mm
	GFD50/01/080	Thermoplastic Elastomer Split Insert	M50	1	6.0 - 8.0mm
	GFD63/01/090	Thermoplastic Elastomer Split Insert	M63	1	7.0 - 9.0mm
	GFD63/02/065-01	Thermoplastic Elastomer Split Insert	M63	3 (various sizes)	6.5 & 9.0mm
	GFD63/03/065	Thermoplastic Elastomer Split Insert	M63	3	4.0 - 6.5mm

## SPECIAL CABLE GLAND INSERTS - IP66

	Product Code	Description	Gland Size	Cable No	Type
	FFD20/01/510	Flat Cable INsert	M20	1	TPS
	FFD20/1/713	Flat Cable INsert	M20	1	TPS
	SFD 20/01/ASI	ASi BUS Cable Insert	M20	1	ASi Cable

# GLAND ACCESSORIES

## MFD BLIND SEALING PLUGS



Product Code	Description	Colour	Size Ø	Length
BS2	Polyamide Blind Plug for MFD Seals	Red	2mm	12mm
BS3	Polyamide Blind Plug for MFD Seals	Red	3mm	12mm
BS4	Polyamide Blind Plug for MFD Seals	Red	4mm	12mm
BS5	Polyamide Blind Plug for MFD Seals	Red	5mm	12mm
BS6	Polyamide Blind Plug for MFD Seals	Red	6mm	16mm
BS7	Polyamide Blind Plug for MFD Seals & M12 Glands	Red	7mm	16mm
BS8	Polyamide Blind Plug for MFD Seals	Red	8mm	16mm
BS9	Polyamide Blind Plug for MFD Seals	Red	9mm	16mm
BS10	Polyamide Blind Plug for MFD Seals & M16 Glands	Red	10mm	16mm
BS12	Polyamide Blind Plug for MFD Seals	Red	12mm	22mm
BS13	Polyamide Blind Plug for M20 Glands	Red	13mm	22mm
BS17	Polyamide Blind Plug for M25 Glands	Red	17mm	17mm
BS21	Polyamide Blind Plug for M32 Glands	Red	21mm	30mm
BS28	Polyamide Blind Plug for M40 Glands	Red	28mm	30mm
BS38	Polyamide Blind Plug for M50 Glands	Red	38mm	35mm
BS48	Polyamide Blind Plug for M63 Glands	Red	48mm	35mm

## REDUCING INSERTS - IP68



Product Code	Description	Gland Size	Colour	Cable Ø
RDE12	Reducing Insert - EPDM material	M12	Black	1.0 - 3.0mm
RDE16	Reducing Insert - EPDM material	M16	Black	2.0 - 6.0mm
RDE20	Reducing Insert - EPDM material	M20	Black	4.0 - 8.0mm
RDE25	Reducing Insert - EPDM material	M25	Black	7.0-12mm
RDE32	Reducing Insert - EPDM material	M32	Black	9.0 - 14mm
RDE40	Reducing Insert - EPDM material	M40	Black	12 - 20mm
RDE50	Reducing Insert - EPDM material	M50	Black	16 - 25mm
RDE63	Reducing Insert - EPDM material	M63	Black	28 - 38mm



## GLAND THREAD GASKETS




Product Code	Description	Gland Size	Colour	Thickness
EADR12	Gland Thread Gasket	M12	Black	2mm
EADR16	Gland Thread Gasket	M16	Black	2mm
EADR20	Gland Thread Gasket	M20	Black	2mm
EADR25	Gland Thread Gasket	M25	Black	2mm
EADR32	Gland Thread Gasket	M32	Black	2mm
EADR40	Gland Thread Gasket	M40	Black	2mm
EADR50	Gland Thread Gasket	M50	Black	2mm
EADR63	Gland Thread Gasket	M63	Black	2mm

# REDUCERS & ADAPTORS


## POLYAMIDE REDUCERS - LIGHT GREY - METRIC

	Product code	Description	Outer	Inner	Colour	Thread Length
	KRM 16/12	Polyamide Reducer	M16	M12	Light Grey (RAL 7035)	9mm
	KRM 20/12	Polyamide Reducer	M20	M12	Light Grey (RAL 7035)	9mm
	KRM 20/16	Polyamide Reducer	M20	M16	Light Grey (RAL 7035)	9mm
	KRM 25/12	Polyamide Reducer	M25	M12	Light Grey (RAL 7035)	10mm
	KRM 25/16	Polyamide Reducer	M25	M16	Light Grey (RAL 7035)	10mm
	KRM 25/20	Polyamide Reducer	M25	M20	Light Grey (RAL 7035)	10mm
	KRM 32/16	Polyamide Reducer	M32	M16	Light Grey (RAL 7035)	12mm
	KRM 32/20	Polyamide Reducer	M32	M20	Light Grey (RAL 7035)	12mm
	KRM 32/25	Polyamide Reducer	M32	M25	Light Grey (RAL 7035)	12mm
	KRM 40/20	Polyamide Reducer	M40	M20	Light Grey (RAL 7035)	12mm
	KRM 40/25	Polyamide Reducer	M40	M25	Light Grey (RAL 7035)	12mm
	KRM 40/32	Polyamide Reducer	M40	M32	Light Grey (RAL 7035)	12mm
	KRM 50/25	Polyamide Reducer	M50	M25	Light Grey (RAL 7035)	14mm
	KRM 50/32	Polyamide Reducer	M50	M32	Light Grey (RAL 7035)	14mm
	KRM 50/40	Polyamide Reducer	M50	M40	Light Grey (RAL 7035)	14mm
	KRM 63/32	Polyamide Reducer	M63	M32	Light Grey (RAL 7035)	15mm
	KRM 63/40	Polyamide Reducer	M63	M40	Light Grey (RAL 7035)	15mm
	KRM 63/50	Polyamide Reducer	M63	M50	Light Grey (RAL 7035)	15mm

## PG TYPE POLYAMIDE REDUCERS - LIGHT GREY

	Product code	Description	Outer	Inner	Colour	Thread Length
	KRP9/7	PG Type Polyamide Reducer	PG9	PG7	Light Grey (RAL 7035)	9mm
	KRP11/9	PG Type Polyamide Reducer	PG11	PG9	Light Grey (RAL 7035)	9mm
	KRP13.5/9	PG Type Polyamide Reducer	PG13.5	PG9	Light Grey (RAL 7035)	10mm
	KRP13.5/11	PG Type Polyamide Reducer	PG13.5	PG11	Light Grey (RAL 7035)	10mm
	KRP16/11	PG Type Polyamide Reducer	PG16	PG11	Light Grey (RAL 7035)	10mm
	KRP16/13.5	PG Type Polyamide Reducer	PG16	PG13.5	Light Grey (RAL 7035)	10mm
	KRP21/16	PG Type Polyamide Reducer	PG21	PG16	Light Grey (RAL 7035)	12mm
	KRP29/21	PG Type Polyamide Reducer	PG29	PG21	Light Grey (RAL 7035)	12mm

## POLYAMIDE ADAPTORS - PG TO METRIC

	Product code	Description	Outer	Inner	Colour	Thread Length
	APM16/20	Polyamide Adaptor	PG16	M20	Light Grey (RAL 7035)	10mm
	APM36/40	Polyamide Adaptor	PG36	M40	Light Grey (RAL 7035)	14mm



# REDUCERS/ADAPTORS & EARTH TAGS

## NICKEL PLATED BRASS REDUCERS - METRIC



Product Code	Description	Outer	Inner	Thread Length
<b>MRM16/12</b>	Nickel Plated Brass Reducer	M16	M12	5mm
<b>MRM20/12</b>	Nickel Plated Brass Reducer	M20	M12	6mm
<b>MRM20/16</b>	Nickel Plated Brass Reducer	M20	M16	6mm
<b>MRM25/16</b>	Nickel Plated Brass Reducer	M25	M16	7mm
<b>MRM25/20</b>	Nickel Plated Brass Reducer	M25	M20	7mm
<b>MRM32/20</b>	Nickel Plated Brass Reducer	M32	M20	8mm
<b>MRM32/25</b>	Nickel Plated Brass Reducer	M32	M25	8mm
<b>MRM40/25</b>	Nickel Plated Brass Reducer	M40	M25	8mm
<b>MRM40/32</b>	Nickel Plated Brass Reducer	M40	M32	8mm
<b>MRM50/32</b>	Nickel Plated Brass Reducer	M50	M32	9mm
<b>MRM50/40</b>	Nickel Plated Brass Reducer	M50	M40	9mm
<b>MRM63/40</b>	Nickel Plated Brass Reducer	M63	M40	10mm
<b>MRM63/50</b>	Nickel Plated Brass Reducer	M63	M50	10mm

## NICKEL PLATED BRASS ADAPTORS - PG TO METRIC



Product Code	Description	Outer	Inner	Thread Length
<b>AMPM-13.5/20</b>	Nickel Plated Brass Adaptor	PG13.5	M20	6.5mm
<b>AMPM-16/20</b>	Nickel Plated Brass Adaptor	PG16	M20	6.5mm
<b>AMPM-16/25</b>	Nickel Plated Brass Adaptor	PG16	M25	6.5mm
<b>AMPM-21/25</b>	Nickel Plated Brass Adaptor	PG21	M25	7mm
<b>AMPM-21/32</b>	Nickel Plated Brass Adaptor	PG21	M32	7mm
<b>AMPM-29/40</b>	Nickel Plated Brass Adaptor	PG29	M40	8mm

## BRASS EARTH TAGS - METRIC



Product code	Description	Size
<b>OSET16</b>	Brass Earth Tag	M16
<b>OSET20</b>	Brass Earth Tag	M20
<b>OSET25</b>	Brass Earth Tag	M25
<b>OSET32</b>	Brass Earth Tag	M32
<b>OSET40</b>	Brass Earth Tag	M40
<b>OSET50</b>	Brass Earth Tag	M50
<b>OSET63</b>	Brass Earth Tag	M63

# VENTGLAND SERIES

## IP69K VENTGLAND SERIES - BREATHES & SEALS



### VENTGLAND SYSTEM

The cable gland has a micro-porous, liquid-tight PTFE membrane that literally lets the casing breathe, which then compensates different pressures inside and outside the casing. Hence, condensation is reduced to a minimum while the high-tech membrane seals the VentGLAND in such a way that dirt and water can not penetrate into the inside of the casing. VentGLAND meets the high requirements of IP69K.

Your benefits from VentGLAND are that the cable gland and pressure compensation are in one device and that it reduces condensation to a minimum. There are great cost savings due to the following reasons: no extra components, no extra installation, no extra drilling.

## IP69K VENTGLAND SETS



Product Code	Description	Size	Colour	Cable Ø	Thread Length
<b>ESVG20set</b>	<b>Ventgland with Locknut</b>	<b>M20</b>	<b>Black (RAL 9005)</b>	<b>6 - 13mm</b>	<b>10mm</b>
<b>ESVG25set</b>	<b>Ventgland with Locknut</b>	<b>M25</b>	<b>Black (RAL 9005)</b>	<b>9 - 17mm</b>	<b>10mm</b>
<b>ESVG32set</b>	<b>Ventgland with Locknut</b>	<b>M32</b>	<b>Black (RAL 9005)</b>	<b>13 - 21mm</b>	<b>12mm</b>

## IP69K VENTGLANDS



Product Code	Description	Size	Colour	Cable Ø	Thread Length
<b>ESVG20</b>	<b>Ventgland</b>	<b>M20</b>	<b>Black (RAL 9005)</b>	<b>6 - 13mm</b>	<b>10mm</b>
<b>ESVG25</b>	<b>Ventgland</b>	<b>M25</b>	<b>Black (RAL 9005)</b>	<b>9 - 17mm</b>	<b>10mm</b>
<b>ESVG32</b>	<b>Ventgland</b>	<b>M32</b>	<b>Black (RAL 9005)</b>	<b>13 - 21mm</b>	<b>12mm</b>

## IP69K VENTPLUG SERIES



Product Code	Description	Size	Colour	Cable Ø	Thread Length
<b>EVPS12set</b>	<b>Ventplug with Locknut</b>	<b>M12</b>	<b>Black (RAL 9005)</b>	<b>N/A</b>	<b>9mm</b>
<b>EVPS12</b>	<b>Ventgland</b>	<b>M12</b>	<b>Black (RAL 9005)</b>	<b>N/A</b>	<b>9mm</b>

# SPRIAL GLAND & QUIXX

## IP68 SPIRAL GLAND SETS - BLACK



Product Code	Description	Size	Colour	Cable Ø	Thread Length
<b>ESKVS-L-12set</b>	<b>Spiral Gland with Lock Nut</b>	<b>M12</b>	<b>Black (RAL 9005)</b>	<b>3 - 7mm</b>	<b>15mm</b>
<b>ESKVS-L-16set</b>	<b>Spiral Gland with Lock Nut</b>	<b>M16</b>	<b>Black (RAL 9005)</b>	<b>4.5 - 10mm</b>	<b>15mm</b>
<b>ESKVS-L-20set</b>	<b>Spiral Gland with Lock Nut</b>	<b>M20</b>	<b>Black (RAL 9005)</b>	<b>6 - 13mm</b>	<b>15mm</b>
<b>ESKVS-L-25set</b>	<b>Spiral Gland with Lock Nut</b>	<b>M25</b>	<b>Black (RAL 9005)</b>	<b>9 - 17mm</b>	<b>15mm</b>
<b>ESKVS-L-32set</b>	<b>Spiral Gland with Lock Nut</b>	<b>M32</b>	<b>Black (RAL 9005)</b>	<b>13 - 21mm</b>	<b>15mm</b>

## IP68 SPIRAL GLAND SETS - LIGHT GREY



Product Code	Description	Size	Colour	Cable Ø	Thread Length
<b>ESKVS-L-12setGr</b>	<b>Spiral Gland with Lock Nut</b>	<b>M12</b>	<b>Light Grey (RAL 7035)</b>	<b>3 - 7mm</b>	<b>15mm</b>
<b>ESKVS-L-16setGr</b>	<b>Spiral Gland with Lock Nut</b>	<b>M16</b>	<b>Light Grey (RAL 7035)</b>	<b>4.5 - 10mm</b>	<b>15mm</b>
<b>ESKVS-L-20setGr</b>	<b>Spiral Gland with Lock Nut</b>	<b>M20</b>	<b>Light Grey (RAL 7035)</b>	<b>6 - 13mm</b>	<b>15mm</b>
<b>ESKVS-L-25setGr</b>	<b>Spiral Gland with Lock Nut</b>	<b>M25</b>	<b>Light Grey (RAL 7035)</b>	<b>9 - 17mm</b>	<b>15mm</b>
<b>ESKVS-L-32setGr</b>	<b>Spiral Gland with Lock Nut</b>	<b>M32</b>	<b>Light Grey (RAL 7035)</b>	<b>13 - 21mm</b>	<b>15mm</b>

## IP66 QUIXX GLANDS - STANDARD - GREY/WHITE



Product Code	Description	Size	Colour	Cable Ø	Thread Length
<b>EMT16</b>	<b>Membrane Gland</b>	<b>M16</b>	<b>Light Grey / White</b>	<b>1 - 9mm</b>	<b>11mm</b>
<b>EMT20</b>	<b>Membrane Gland</b>	<b>M20</b>	<b>Light Grey / White</b>	<b>1 - 13mm</b>	<b>11mm</b>
<b>EMT25</b>	<b>Membrane Gland</b>	<b>M25</b>	<b>Light Grey / White</b>	<b>1 - 18mm</b>	<b>11mm</b>
<b>EMT32</b>	<b>Membrane Gland</b>	<b>M32</b>	<b>Light Grey / White</b>	<b>1 - 25mm</b>	<b>11mm</b>

## IP66 QUIXX GLANDS - FLAME RETARDANT - WHITE



Product Code	Description	Size	Colour	Cable Ø	Thread Length
<b>EMT-F16</b>	<b>Membrane Gland</b>	<b>M16</b>	<b>White</b>	<b>1 - 9mm</b>	<b>11mm</b>
<b>EMT-F20</b>	<b>Membrane Gland</b>	<b>M20</b>	<b>White</b>	<b>1 - 13mm</b>	<b>11mm</b>
<b>EMT-F25</b>	<b>Membrane Gland</b>	<b>M25</b>	<b>White</b>	<b>1 - 18mm</b>	<b>11mm</b>
<b>EMT-F32</b>	<b>Membrane Gland</b>	<b>M32</b>	<b>White</b>	<b>1 - 25mm</b>	<b>11mm</b>

# STOP ENDS

## IP68 METRIC STOP ENDS - LIGHT GREY



Product Code	Description	Size	Colour	Thread Length
<b>EVSG12</b>	<b>Stop End - Polyamide</b>	<b>M12</b>	<b>Light Grey (RAL 7035)</b>	<b>6mm</b>
<b>EVSG16</b>	<b>Stop End - Polyamide</b>	<b>M16</b>	<b>Light Grey (RAL 7035)</b>	<b>6mm</b>
<b>EVSG20</b>	<b>Stop End - Polyamide</b>	<b>M20</b>	<b>Light Grey (RAL 7035)</b>	<b>6mm</b>
<b>EVSG25</b>	<b>Stop End - Polyamide</b>	<b>M25</b>	<b>Light Grey (RAL 7035)</b>	<b>8mm</b>
<b>EVSG32</b>	<b>Stop End - Polyamide</b>	<b>M32</b>	<b>Light Grey (RAL 7035)</b>	<b>8mm</b>

## IP68 PG STOP ENDS - LIGHT GREY



Product Code	Description	Size	Colour	Thread Length
<b>VSG-11</b>	<b>Stop End - Polyamide</b>	<b>PG11</b>	<b>Light Grey (RAL 7035)</b>	<b>6mm</b>
<b>VSG-13.5</b>	<b>Stop End - Polyamide</b>	<b>PG13.5</b>	<b>Light Grey (RAL 7035)</b>	<b>6mm</b>
<b>VSG-16</b>	<b>Stop End - Polyamide</b>	<b>PG16</b>	<b>Light Grey (RAL 7035)</b>	<b>6mm</b>
<b>VSG-21</b>	<b>Stop End - Polyamide</b>	<b>PG21</b>	<b>Light Grey (RAL 7035)</b>	<b>8mm</b>
<b>VSG-29</b>	<b>Stop End - Polyamide</b>	<b>PG29</b>	<b>Light Grey (RAL 7035)</b>	<b>8mm</b>

## IP68 METRIC NICKEL PLATED BRASS STOP ENDS



Product Code	Description	Size	Colour	Thread Length
<b>EMVS12</b>	<b>Stop End</b>	<b>M12</b>	<b>Nickel Plated Brass</b>	<b>5mm</b>
<b>EMVS16</b>	<b>Stop End</b>	<b>M16</b>	<b>Nickel Plated Brass</b>	<b>5mm</b>
<b>EMVS20</b>	<b>Stop End</b>	<b>M20</b>	<b>Nickel Plated Brass</b>	<b>6.5mm</b>
<b>EMVS25</b>	<b>Stop End</b>	<b>M25</b>	<b>Nickel Plated Brass</b>	<b>7mm</b>
<b>EMVS32</b>	<b>Stop End</b>	<b>M32</b>	<b>Nickel Plated Brass</b>	<b>8mm</b>




## WISKA INDUSTRY CATALOGUE

Ask for your copy of the complete Wiska Cable Gland Catalogue.

# EMC CABLE GLANDS

## TECHNICAL INFORMATION



For Electromagnetic protection there is no better solution than what Wiska can offer. They have complete 360° connection of the cable shield with the lowest ohmic and inductive resistance of any gland system.

The EMC glands from Wiska are a high performance and safe solution that can be relied on in the harshest of environments.

## IP68 EMC GLANDS WITH EARTHING CONE - NICKEL PLATED BRASS



Product Code	Description	Size	Cable Ø	Shield Ø	Thread Length
<b>EMSKV-L-12-EMV-Z</b>	EMC Gland	<b>M12</b>	<b>3 - 7mm</b>	<b>5mm</b>	<b>12mm</b>
<b>EMSKV-L-16-EMV-Z</b>	EMC Gland	<b>M16</b>	<b>4.5 - 10mm</b>	<b>7.5mm</b>	<b>12mm</b>
<b>EMSKV-L-20-EMV-Z</b>	EMC Gland	<b>M20</b>	<b>6 - 13mm</b>	<b>9.5mm</b>	<b>12mm</b>
<b>EMSKV-L-25-EMV-Z</b>	EMC Gland	<b>M25</b>	<b>9 - 17mm</b>	<b>14.5mm</b>	<b>12mm</b>
<b>EMSKV-L-32-EMV-Z</b>	EMC Gland	<b>M32</b>	<b>13 - 21mm</b>	<b>20mm</b>	<b>15mm</b>
<b>EMSKV-L-40-EMV-Z</b>	EMC Gland	<b>M40</b>	<b>16 - 28mm</b>	<b>26mm</b>	<b>15mm</b>
<b>EMSKV-L-50-EMV-Z</b>	EMC Gland	<b>M50</b>	<b>21 - 35mm</b>	<b>33mm</b>	<b>15mm</b>
<b>EMSKV-L-63-EMV-Z</b>	EMC Gland	<b>M63</b>	<b>34 - 48mm</b>	<b>45mm</b>	<b>15mm</b>

## IP68 EMC GLANDS WITH STAINLESS STEEL SPRING INSERT - NICKEL PLATED BRASS



Product Code	Description	Size	Cable Ø	Shield Ø	Thread Length
<b>EMSKV-L-12-EMV-S</b>	EMC Gland	<b>M12</b>	<b>3 - 7mm</b>	<b>5mm</b>	<b>12mm</b>
<b>EMSKV-L-16-EMV-S</b>	EMC Gland	<b>M16</b>	<b>4.5 - 10mm</b>	<b>7.5mm</b>	<b>12mm</b>
<b>EMSKV-L-20-EMV-S</b>	EMC Gland	<b>M20</b>	<b>6 - 13mm</b>	<b>9.5mm</b>	<b>12mm</b>
<b>EMSKV-L-25-EMV-S</b>	EMC Gland	<b>M25</b>	<b>9 - 17mm</b>	<b>14.5mm</b>	<b>12mm</b>
<b>EMSKV-L-32-EMV-S</b>	EMC Gland	<b>M32</b>	<b>13 - 21mm</b>	<b>20mm</b>	<b>15mm</b>
<b>EMSKV-L-40-EMV-S</b>	EMC Gland	<b>M40</b>	<b>16 - 28mm</b>	<b>26mm</b>	<b>15mm</b>
<b>EMSKV-L-50-EMV-S</b>	EMC Gland	<b>M50</b>	<b>21 - 35mm</b>	<b>33mm</b>	<b>15mm</b>
<b>EMSKV-L-63-EMV-S</b>	EMC Gland	<b>M63</b>	<b>34 - 48mm</b>	<b>45mm</b>	<b>15mm</b>

## EMC LOCKNUTS WITH EARTHING CLAWS - NICKEL PLATED BRASS



Product Code	Description	Size	Width
<b>EMMU-EMV-12</b>	EMC Lock Nut	<b>M12</b>	<b>4.7mm</b>
<b>EMMU-EMV-16</b>	EMC Lock Nut	<b>M16</b>	<b>4.7mm</b>
<b>EMMU-EMV-20</b>	EMC Lock Nut	<b>M20</b>	<b>4.7mm</b>
<b>EMMU-EMV-25</b>	EMC Lock Nut	<b>M25</b>	<b>5.2mm</b>
<b>EMMU-EMV-32</b>	EMC Lock Nut	<b>M32</b>	<b>5.7mm</b>
<b>EMMU-EMV-40</b>	EMC Lock Nut	<b>M40</b>	<b>6.5mm</b>
<b>EMMU-EMV-50</b>	EMC Lock Nut	<b>M50</b>	<b>7mm</b>
<b>EMMU-EMV-63</b>	EMC Lock Nut	<b>M63</b>	<b>7mm</b>