

BOOTLACE FERRULES - SINGLES

DIN STANDARD FERRULES - SMALL PACKET



H0.5/8W	Ferrule 0.5mm ² - length 8/14mm - White	100
H0.75/8GR	Ferrule 0.75mm ² - length 8/14mm - Grey	100
H1.0/8R	Ferrule 1.0mm ² - length 8/14mm - Red	100
H1.5/8BL	Ferrule 1.5mm ² - length 8/14mm - Black	100
H2.5/18B	Ferrule 2.5mm ² - length 18/25mm - Blue	500
H2.5/8B	Ferrule 2.5mm ² - length 8/15mm - Blue	100
H2.5/12B	Ferrule 2.5mm ² - length 12/19mm - Blue	100
H4.0/10GR	Ferrule 4.0mm ² - length 10/18mm - Grey	50
H6.0/12Y	Ferrule 6.0mm ² - length 12/20mm - Yellow	100
H10.0/12R	Ferrule 10.0mm ² - length 12/22mm - Red	100
H10.0/18R	Ferrule 10.0mm ² - length 18/28mm - Red	100
H16.0/12B	Ferrule 16.0mm ² - length 12/22mm - Blue	100
H16.0/18B	Ferrule 16.0mm ² - length 18/28mm - Blue	100
H25.0/16Y	Ferrule 25.0mm ² - length 16/30mm - Yellow	50
H35.0/16R	Ferrule 35.0mm ² - length 16/30mm - Red	50
H50.0/20B	Ferrule 50.0mm ² - length 20/36mm - Blue	50

DIN STANDARD FERRULES - OTHER PACKET SIZES



H0.25/8Y	Ferrule 0.25mm ² - length 8/12mm - Yellow	500
H0.34/8Y	Ferrule 0.34mm ² - length 8/12mm - Yellow	500
H0.5/10W	Ferrule 0.5mm ² - length 10/16mm - White	500
H0.5/12W	Ferrule 0.5mm ² - length 12/18mm - White	500
H0.75/10GR	Ferrule 0.75mm ² - length 10/16mm - Grey	500
H0.75/12GR	Ferrule 0.75mm ² - length 12/18mm - Grey	500
H1.0/10R	Ferrule 1.0mm ² - length 10/16mm - Red	500
H1.0/12R	Ferrule 1.0mm ² - length 12/18mm - Red	500
H1.5/12BL	Ferrule 1.5mm ² - length 12/18mm - Black	500

GERMAN (Z+F) STANDARD FERRULES - SMALL PACKET



H0.25/6LB	Ferrule 0.25mm ² - length 6/10mm - Light Blue	100
H0.25/12LB	Ferrule 0.37mm ² - length 12/16mm - Light Blue	100
H0.34/6T	Ferrule 0.37mm ² - length 6/11mm - Turquoise	100
H0.34/8T	Ferrule 0.34mm ² - length 6/11mm - Turquoise	100
H0.34/12T	Ferrule 0.37mm ² - length 12/16mm - Turquoise	100
H0.5/8O	Ferrule 0.5mm ² - length 8/14mm - Orange	100
H0.75/8W	Ferrule 0.75mm ² - length 8/14mm - White	100
H1.0/8Y	Ferrule 1.0mm ² - length 8/14mm - Yellow	100
H1.5/8R	Ferrule 1.5mm ² - length 8/14mm - Red	100
H2.5/8B	Ferrule 2.5mm ² - length 8/15mm - Blue	100
H2.5/12B	Ferrule 2.5mm ² - length 12/19mm - Blue	100
H4.0/10GR	Ferrule 4.0mm ² - length 10/18mm - Grey	50
H6.0/12BL	Ferrule 6.0mm ² - length 12/20mm - Black	100

BOOTLACE FERRULES - SINGLES

GERMAN (Z+F) STANDARD FERRULES - SMALL PACKET - CONTINUED



H10.0/12I	Ferrule 10.0mm ² - length 12/22mm - Ivory	100
H10.0/18I	Ferrule 10.0mm ² - length 18/28mm - Ivory	100
H16.0/12G	Ferrule 16.0mm ² - length 12/22mm - Green	100
H25.0/16BR	Ferrule 25.0mm ² - length 16/30mm - Brown	50
H35.0/16BE	Ferrule 35.0mm ² - length 16/30mm - Beige	50
H50.0/20OL	Ferrule 50.0mm ² - length 20/36mm - Olive	50
H70.0/21Y	Ferrule 70.0mm ² - length 21/37mm - Yellow	25
H95.0/25R	Ferrule 95.0mm ² - length 25/44mm - Red	25
H120.0/30B	Ferrule 120.0mm ² - length 30/50mm - Blue	25
H150.0/32Y	Ferrule 150.0mm ² - length 32/54mm - Yellow	25

GERMAN (Z+F) STANDARD FERRULES - OTHER PACKET SIZES



H0.5/10O	Ferrule 0.5mm ² - length 10/16mm - Orange	500
H0.5/12O	Ferrule 0.5mm ² - length 12/18mm - Orange	500
H0.75/10W	Ferrule 0.75mm ² - length 10/16mm - White	500
H0.75/12W	Ferrule 0.75mm ² - length 12/18mm - White	500
H1.0/10Y	Ferrule 1.0mm ² - length 10/16mm - Yellow	500
H1.0/12Y	Ferrule 1.0mm ² - length 12/18mm - Yellow	500
H1.5/12R	Ferrule 1.5mm ² - length 12/18mm - Red	500
H2.5/18B	Ferrule 2.5mm ² - length 18/25mm - Blue	500

KDS STANDARD FERRULES - SMALL PACKET



H0.5/8W	Ferrule 0.5mm ² - length 8/14mm - White	100
H0.75/8LB	Ferrule 0.75mm ² - length 8/14mm - Light Blue	100
H1.0/8R	Ferrule 1.0mm ² - length 8/14mm - Red	100
H1.5/8BL	Ferrule 1.5mm ² - length 8/14mm - Black	100
H2.5/8GR	Ferrule 2.5mm ² - length 8/15mm - Grey	100
H4.0/10O	Ferrule 4.0mm ² - length 10/18mm - Orange	50
H6.0/12G	Ferrule 6.0mm ² - length 12/20mm - Green	100
H35.0/16BE	Ferrule 35.0mm ² - length 16/30mm - Beige	50
H50.0/20OL	Ferrule 50.0mm ² - length 20/36mm - Olive	50

















KDS STANDARD FERRULES - OTHER PACKET SIZES

















H0.5/10W	Ferrule 0.5mm ² - length 10/16mm - White	500
H0.5/12W	Ferrule 0.5mm ² - length 12/18mm - White	500
H1.0/10R	Ferrule 1.0mm ² - length 10/16mm - Red	500
H1.0/12R	Ferrule 1.0mm ² - length 12/18mm - Red	500
H1.5/12BL	Ferrule 1.5mm ² - length 12/18mm - Black	500

BOOTLACE FERRULES - DOUBLE

DIN STANDARD DOUBLE BOOTLACE FERRULES

	H2x0.5/8W	Ferrule 2 x 0.5mm ² - length 8/14 - White	100
	H2x0.5/12W	Ferrule 2 x 0.5mm ² - length 12/18 - White	100
	H2x0.75/8GR	Ferrule 2 x 0.75mm ² - length 8/14 - Grey	100
	H2x0.75/12GR	Ferrule 2 x 0.75mm ² - length 12/18 - Grey	100
	H2x1.0/8R	Ferrule 2 x 1.0mm ² - length 8/15 - Red	100
	H2x1.0/12R	Ferrule 2 x 1.0mm ² - length 12/19 - Red	100
	H2x1.5/8BL	Ferrule 2 x 1.5mm ² - length 8/16 - Black	100
	H2x1.5/12BL	Ferrule 2 x 1.5mm ² - length 12/20 - Black	100
	H2x1.5/18BL	Ferrule 2 x 1.5mm ² - length 18/26 - Black	100
	H2x2.5/10B	Ferrule 2 x 2.5mm ² - length 10/19 - Blue	50
	H2x2.5/12B	Ferrule 2 x 2.5mm ² - length 12/21 - Blue	50
	H2x2.5/18B	Ferrule 2 x 2.5mm ² - length 18/27 - Blue	100
	H2x4.0/12GR	Ferrule 2 x 4.0mm ² - length 12/22 - Grey	100
	H2x6.0/12Y	Ferrule 2 x 6.0mm ² - length 12/23 - Yellow	100
	H2x10.0/12R	Ferrule 2 x 10.0mm ² - length 12/24 - Red	100
	H2x16.0/16B	Ferrule 2 x 16.0mm ² - length 16/29 - Blue	50

GERMAN (Z+F) STANDARD DOUBLE BOOTLACE FERRULES


	H2x0.5/8O	Ferrule 2 x 0.5mm ² - length 8/12 - Orange	100
	H2x0.75/8W	Ferrule 2 x 0.75mm ² - length 8/14 - White	100
	H2x0.75/10W	Ferrule 2 x 0.75mm ² - length 10/16 - White	100
	H2x1.0/8Y	Ferrule 2 x 1.0mm ² - length 8/15 - Yellow	100
	H2x1.0/12Y	Ferrule 2 x 1.0mm ² - length 12/19 - Yellow	100
	H2x1.5/8R	Ferrule 2 x 1.5mm ² - length 8/16 - Red	100
	H2x1.5/12R	Ferrule 2 x 1.5mm ² - length 12/20 - Red	100
	H2x2.5/10B	Ferrule 2 x 2.5mm ² - length 10/19 - Blue	50
	H2x2.5/12B	Ferrule 2 x 2.5mm ² - length 12/21 - Blue	50
	H2x2.5/18B	Ferrule 2 x 2.5mm ² - length 18/27 - Blue	100
	H2x4.0/12GR	Ferrule 2 x 4.0mm ² - length 12/22 - Grey	100
	H2x6.0/12BL	Ferrule 2 x 6.0mm ² - length 12/23 - Black	100
	H2x10.0/12I	Ferrule 2 x 10.0mm ² - length 12/24 - Ivory	100
	H2x16.0/16G	Ferrule 2 x 16.0mm ² - length 16/29 - Green	50

KDS STANDARD DOUBLE BOOTLACE FERRULES

	H2x0.5/8W	Ferrule 2 x 0.5mm ² - length 8/14 - White	100
	H2x0.5/12W	Ferrule 2 x 0.5mm ² - length 12/18 - White	100
	H2x1.0/8R	Ferrule 2 x 1.0mm ² - length 8/15 - Red	100
	H2x1.0/12R	Ferrule 2 x 1.0mm ² - length 12/19 - Red	100
	H2x1.5/8BL	Ferrule 2 x 1.5mm ² - length 8/16 - Black	100
	H2x1.5/12BL	Ferrule 2 x 1.5mm ² - length 12/20 - Black	100
	H2x1.5/18BL	Ferrule 2 x 1.5mm ² - length 18/26 - Black	100


BOOTLACE FERRULES - ROLLS/STRIPS

DIN STANDARD BOOTLACE FERRULES IN ROLLS




H0.5/8/5000W	Ferrule 0.5mm ² - length of uninsulated comp. 8mm - White	5000
H0.75/8/5000GR	Ferrule 0.75mm ² - length of uninsulated comp. 8mm - Grey	5000
H1.0/8/5000R	Ferrule 1.0mm ² - length of uninsulated comp. 8mm - Red	5000
H1.5/8/5000BL	Ferrule 1.5mm ² - length of uninsulated comp. 8mm - Black	5000
H2.5/8/3000B	Ferrule 2.5mm ² - length of uninsulated comp. 8mm - Blue	3000

GERMAN (Z+F) STANDARD BOOTLACE FERRULES IN ROLLS



H0.34/8/5000T	Ferrule 0.34mm ² - length of uninsulated comp. 8mm - Turquoise	5000
H0.5/8/5000O	Ferrule 0.5mm ² - length of uninsulated comp. 8mm - Orange	5000
H0.75/8/5000W	Ferrule 0.75mm ² - length of uninsulated comp. 8mm - White	5000
H1.0/8/5000Y	Ferrule 1.0mm ² - length of uninsulated comp. 8mm - Yellow	5000
H1.5/8/5000R	Ferrule 1.5mm ² - length of uninsulated comp. 8mm - Red	5000
H2.5/8/3000B	Ferrule 2.5mm ² - length of uninsulated comp. 8mm - Blue	3000

KDS STANDARD BOOTLACE FERRULES IN ROLLS



H0.5/8/5000W	Ferrule 0.5mm ² - length of uninsulated comp. 8mm - White	5000
H1.0/8/5000R	Ferrule 1.0mm ² - length of uninsulated comp. 8mm - Red	5000
H1.5/8/5000BL	Ferrule 1.5mm ² - length of uninsulated comp. 8mm - Black	5000

DIN STANDARD BOOTLACE FERRULES IN STRIPS (10 X 50)



H0.5/8/500W	Ferrule 0.5mm ² - length of uninsulated comp. 8mm - White	10x50
H0.75/8/500GR	Ferrule 0.75mm ² - length of uninsulated comp. 8mm - Grey	10x50
H1.0/8/500R	Ferrule 1.0mm ² - length of uninsulated comp. 8mm - Red	10x50
H1.5/8/500BL	Ferrule 1.5mm ² - length of uninsulated comp. 8mm - Black	10x50
H2.5/8/500B	Ferrule 2.5mm ² - length of uninsulated comp. 8mm - Blue	10x50


























GERMAN (Z+F) STANDARD BOOTLACE FERRULES IN STRIPS (10 X 50)



H0.5/8/500O	Ferrule 0.5mm ² - length of uninsulated comp. 8mm - Orange	10x50
H0.75/8/500W	Ferrule 0.75mm ² - length of uninsulated comp. 8mm - White	10x50
H1.0/8/500Y	Ferrule 1.0mm ² - length of uninsulated comp. 8mm - Yellow	10x50
H1.5/8/500R	Ferrule 1.5mm ² - length of uninsulated comp. 8mm - Red	10x50
H2.5/8/500B	Ferrule 2.5mm ² - length of uninsulated comp. 8mm - Blue	10x50

UNINSULATED FERRULES & TOOLS

UNINSULATED BOOTLACE FERRULES

	H0.5/6	Uninsulated Ferrule 0.5mm ² - length 6mm	1000
	H0.75/6	Uninsulated Ferrule 0.75mm ² - length 6mm	1000
	H1.0/6	Uninsulated Ferrule 1.0mm ² - length 6mm	1000
	H1.0/10	Uninsulated Ferrule 1.0mm ² - length 10mm	1000
	H1.5/7	Uninsulated Ferrule 1.5mm ² - length 7mm	1000
	H1.5/10	Uninsulated Ferrule 1.5mm ² - length 10mm	1000
	H2.5/7	Uninsulated Ferrule 2.5mm ² - length 7mm	1000
	H2.5/12	Uninsulated Ferrule 2.5mm ² - length 12mm	1000
	H4.0/9	Uninsulated Ferrule 4.0mm ² - length 9mm	500
	H6.0/12	Uninsulated Ferrule 6.0mm ² - length 12mm	500
	H10.0/12	Uninsulated Ferrule 10.0mm ² - length 12mm	500
	H10.0/15	Uninsulated Ferrule 10.0mm ² - length 15mm	500
	H10.0/18	Uninsulated Ferrule 10.0mm ² - length 18mm	500
	H16.0/12	Uninsulated Ferrule 16.0mm ² - length 12mm	500
	H16.0/15	Uninsulated Ferrule 16.0mm ² - length 15mm	500
	H16.0/18	Uninsulated Ferrule 16.0mm ² - length 18mm	100
	H25.0/18	Uninsulated Ferrule 25.0mm ² - length 18mm	100
	H35.0/18	Uninsulated Ferrule 35.0mm ² - length 18mm	100
	H35.0/32	Uninsulated Ferrule 35.0mm ² - length 32mm	100
	H50.0/32	Uninsulated Ferrule 50.0mm ² - length 32mm	100
	H70.0/25	Uninsulated Ferrule 70.0mm ² - length 25mm	50
	H95.0/32	Uninsulated Ferrule 95.0mm ² - length 32mm	50
	H120.0/32	Uninsulated Ferrule 120.0mm ² - length 32mm	25
	H150.0/32	Uninsulated Ferrule 150.0mm ² - length 32mm	25
	H185.0/32	Uninsulated Ferrule 185.0mm ² - length 32mm	25

BOOTLACE FERRULE COLLECTION BOXES



V30SO000018	Empty Bootlace Ferrule Collection Box - 5 divisions
V30SO000015	Empty Bootlace Ferrule Collection Box - 5 coloured divisions
V30SO000041	DIN Std Ferrule Collection Box with 50x0.5, 100x0.75, 100x1.0, 100x1.5 & 50x2.5
V30SO000070	DIN Std Ferrule Collection Box with 50x0.5, 50x0.75, 50x1.0, 50x1.5 & 25x2.5 Twin
V30SO000001	German (Z+F) Std Ferrule Box with 50x0.5, 100x0.75, 100x1.0, 100x1.5 & 50x2.5
V30SO000069	German (Z+F) Std Ferrule Box with 50x0.5, 50x0.75, 50x1.0, 50x1.5 & 25x2.5 Twin

BOOTLACE FERRULE CRIMP TOOLS



Crimpit F6L

CrimpitFMulti	Ferrule Multifunction Crimp Tool - Cut, Strip & Crimp 0.5 to 2.5mm ² - Medium Use
CrimpitF6L	Crimp Tool - 0.5 to 6mm ² - Heavy Use
CrimpitF16L	Crimp Tool - 6 to 16mm ² - Heavy Use
CrimpitF25L	Crimp Tool - 6 to 25mm ² as well as Double Ferrules 4, 6 & 10mm ² - Heavy Use
CrimpitF50L	Crimp Tool - 35 to 50mm ² as well as Double Ferrules 16mm ² - Heavy Use