



PASSION FOR POWER.


# Solutions for mitigation of condensation



**NEW**



**Dewguard  
for prevention of Dew condensation**





- Dew Guard is a thin sheet made from synthetic rubber and a super absorbent polymer and covered by a non woven fabric.
- Dew Guard absorbs moisture during high humidity and releases moisture during low humidity.
- This reversibility ensures that a constant level of humidity is maintained in the enclosed space.
- Due to this, the product continues to be in function over a large period of time and protects against condensation.

**Product Features**

- Absorbs moisture without any saturation, even in high humidity
- Absorbency of 0.8g (H<sub>2</sub>O) / 1g (product) @25 deg C and 95% RH or higher.
- Can be used for a long period of time thanks to its humidity absorption / release function.
- Works between a large temperature range of -30 deg C to +90 deg C.
- Halogen and silicon free
- Environment friendly and can be disposed of in regular trash.

**Caution**


- To be used in enclosed / airtight spaces only
- Not to be soaked in water






**HDG 050**  
**Dew guard**

50mm x 75mm x 2mm  
For use with  
DK / kF / KV / FP / Mi range




**HDG 075**  
**Dew guard**

75mm x 100mm x 2mm  
For use with  
DK / kF / KV / FP / Mi range




**HDG 100**  
**Dew guard**

100mm x 150mm x 2mm  
For use with  
FP 02XX / 03XX / 04XX  
Mi 04XX / 06XX / 08XX




**HDG 150**  
**Dew guard**

150mm x 150mm x 2mm  
For use with  
FP 03XX / 04XX  
Mi 04XX / 06XX / 08XX



Fixation by means of a hook or  
Velcro in the inner wall of a sealed enclosure



**Application :**  
In enclosed spaces where  
a risk of condensation exists

